

## Bibliography

Alberti-Fidanza A et al. *Eur J Clin Nutr.* Feb 1994; 48:2:85-91

Alfin-Slater, R B, and L Atergood. "Lipids", *Modern Nutrition in Health and Disease*, 6th ed, R S Goodhart and M E Shils, eds, Lea and Febiger, Philadelphia, 1980, 131

Anderson KM, Castelli WP, Levy D. Cholesterol and mortality. 30 years of follow-up from the Framingham study. *JAMA* 1987 257: 2176-2180

Associated Press. Cholesterol guidelines become a morality play. *USA Today*, 10/16/2004 [http://www.usatoday.com/news/health/2004-10-16-panel-conflict-of-interest\\_x.htm](http://www.usatoday.com/news/health/2004-10-16-panel-conflict-of-interest_x.htm)

Bannerman KS. Cholesterol lowering in older patients. *Ann Intern Med.* 1999 Jul 20;131(2):155-6.

Burr ML, Fehily AM, Gilbert JF, Rogers S, Holliday RM, Sweetnam PM, Elwood PC, Deadman NM. Effects of changes in fat, fish, and fibre intakes on death and myocardial reinfarction: diet and reinfarction trial (DART). *Lancet.* 1989 Sep 30;2(8666):757-61.

Carpenter KL, Taylor SE, Ballantine JA, et al. Lipids and oxidised lipids in human atheroma and normal aorta. *Biochim Biophys Acta* 1993;1167:121-130

Cha YS, Sachan DS. Opposite effects of dietary saturated and unsaturated fatty acids on ethanol-pharmacokinetics, triglycerides and carnitines. *J Am Coll Nutr*, Aug 1994, 13(4):338-43

Chen J. *Diet, Life-Style and Mortality in China: A Study of the Characteristics of 65 Chinese Counties*, Cornell University Press, Ithica, NY

Colhoun HM, Betteridge DJ, Durrington PN, et al. Primary prevention of cardiovascular disease with atorvastatin in type 2 diabetes in the Collaborative Atorvastatin Diabetes Study (CARDS): multi-center randomized placebo-controlled trial. *Lancet.* 2004;364:685-696

Colpo A. LDL Cholesterol: Bad Cholesterol, or Bad Science? *Journal of American Physicians and Surgeons.* 2005;10:84

*CMAJ.* 2005 Nov 8;173(10):1207; author reply 1210.

Cohen, A. Fats and carbohydrates as factors in atherosclerosis and diabetes in Yemenite Jews. *Am Heart J*, 1963, 65:291

Dayton S, and others. A controlled clinical trial of a diet high in unsaturated fat in preventing complications of atherosclerosis. *Circulation* 1969;40(suppl 2):1-63

De Lorgeril M, Renaud S, Mamelle N, et al. Mediterranean alpha-linoleic acid-rich diet in secondary prevention of coronary heart disease. *Lancet.* 1994;343:1454-1459

Devlin TM, ed. *Textbook of Biochemistry*, 2nd Ed, 1982, Wiley Medical, 429-430

Dornbrook-Lavender KA, Roth MT, Pieper JA. Secondary prevention of coronary heart disease in the elderly. *Ann Pharmacother.* 2003 Dec;37(12):1867-76.

Edison RJ, Muenke M. Central nervous system and limb anomalies in case reports of first-trimester statin exposure. *N Engl J Med* 2004;350:1579-82.

Enig MG, Fallon S. Dangers of statin drugs: what you haven't been told about popular cholesterol-lowering medications. <http://www.westonaprice.org>

Enig MG, Munn RJ, Keeney M. Dietary fat and cancer trends--a critique. *Fed Proc.* 1978 Jul;37(9):2215-20.

Enig MG. Cholesterol & Heart Disease - A Phony Issue. *Wise Traditions in Food, Farming & the Healing Arts.* Summer 2001

Enig MG. *Trans Fatty Acids in the Food Supply: A Comprehensive Report Covering 60 Years of Research*, 2nd Edition, Enig Associates, Inc, Silver Spring, MD, 1995, 4-8

Fallon S, Enig MG. Tripping Lightly Down the Prostaglandin Pathways. Price-Pottenger Nutrition Foundation Health Journal, 1996, 20:3:5-8

Farr G. Why the cholesterol-heart disease theory is wrong. <http://www.thincs.org/>

Felton, C V, Crook D, Davies MJ, Oliver MF. Dietary polyunsaturated fatty acids and composition of human aortic plaques. Lancet, 1994, 344:1195-96

Frantz ID Jr, Dawson EA, Ashman PL, Gatewood LC, Bartsch GE, Kuba K, Brewer ER. Test of effect of lipid lowering by diet on cardiovascular risk. The Minnesota Coronary Survey. Arteriosclerosis. 1989 Jan-Feb;9(1):129-35.

Garg M, et al. FASEB Journal. 1988; 2:4:A852

Garg, ML. Dietary saturated fat level alters the competition between alpha-linolenic and linoleic acid. Lipids, Apr 1989; 24(4):334-9

Garrett HE, Horning EC, Creech BG, Debaquey M. Serum Cholesterol Values In Patients Surgically Treated for Atherosclerosis. JAMA. 1964 Aug 31;189:655-9.

Hanis T, Zidek V, Sachova J, Klir P, Deyl. Effects of Dietary Trans Fatty Acids on Reproductive Performance of Wistar Rats. British Journal of Nutrition, 1989, 61:519-529

Hargrove HL, et al. FASEB Journal. Meeting Abstracts. Mar 1999; #204.1, p A222.

Harmon D, et al. J Am Geriatrics Soc. 1976;24:1: 292-8

Heart Protection Study Collaborative Group. MRC/BHF Heart protection study of cholesterol lowering with simvastatin in 6 high-risk individuals: a randomised placebo controlled trial. Lancet. 2002; 2053: 360:7-22.

Holvoet P, et al. Association of high coronary heart disease risk status with circulating oxidized LDL in the well-functioning elderly: Findings from the Health, Aging, and Body Composition Cohort. Arterioscler Thromb Vasc Biol. 2003;32:1444-1448

Holvoet P, et al. The metabolic syndrome, circulating oxidized LDL, and risk of myocardial infarction in well-functioning elderly people in the Health, Aging and Body Composition Cohort. Diabetes. 2004;53:1068-107

Horrobin D. Reviews in Pure and Applied Pharmacological Science. Vol 4, 1983; Freund Publishing House, 339-383

Horrobin D. The Regulation of Prostaglandin Biosynthesis by Manipulation of Essential Fatty Acid Metabolism. Reviews in Pure and Applied Pharmacological Sciences, 1983, 4:339-383

Horwich TB, Hamilton MA, Maclellan WR, Fonarow GC. Low serum total cholesterol is associated with marked increase in mortality in advanced heart failure. J Card Fail. 2002 Aug;8(4):216-24.

Jackson PR, Wallis EJ, Haq IU, Ramsay LE. Statins for primary prevention: at what coronary risk is safety assured. Br J Clin Pharmacol. 2001 Oct;52(4):439-46.

Jacobs D, Blackburn H, Higgins M, Reed D, Iso H, McMillan G, Neaton J, Nelson J, Potter J, Rifkind B, et al. Report of the conference on low blood cholesterol: Mortality associations. Circulation. 1992 Sep;86(3):1046-60.

Kabara JJ. The Pharmacological Effects of Lipids. The American Oil Chemists Society. Champaign, IL, 1978; 1-14; Cohen, L A, et al, J Natl Cancer Inst, 1986, 77:4

Kahn HA, Medalie JH, Neufeld HN, Riss E, Balogh M, Groen JJ. Serum cholesterol: Its distribution and association with dietary and other variables in a survey of 10,000 men. Isr J Med Sci. 1969 Nov-Dec;5(6):1117-27.

Kendrik M. Are Statins Overused? Future Lipidol. 2(5);481-483

Kmietowicz Z. Statins are the new aspirin, Oxford researchers say. BMJ 2001;323:1145

Koga Y et al. Recent Trends in Cardiovascular Disease and Risk Factors in the Seven Countries Study: Japan. Lessons for Science from the Seven Countries Study. Toshima H, et al. eds, Springer, New York, NY, 1994, 63-74

- Kohlmeier L, et al. Stores of Trans Fatty Acids and Breast Cancer Risk. *Am J Clin Nutr.* 1995; 61:896;A25
- Kroneld R, and others. Hälsobeteende och riskfaktorer för hjärt- och kärlsjukdomar i östra och sydvästra Finland. *Suomen Lääkärilehti* 1990;45:735-739.
- Krumholz H, Seeman T, Merrill S, Mendes de Leon C, Vaccarino V, Silverman D, Tsukahara R, Ostfeld A, Berkman L. Lack of association between cholesterol and coronary heart disease mortality and morbidity and all-cause mortality in persons older than 70 years. *JAMA* 1994 272: 1335-1340
- Krut LH. On the statins, correcting plasma lipid levels, and preventing the clinical sequelae of atherosclerotic coronary heart disease. *Am J Cardiol.* 1998 Apr 15;81(8):1045-6.
- Lackland DT, Wheeler FC. The need for accurate nutrition survey methodology: The South Carolina experience. *J Nutr.* Nov 1990, 120:11S:1433-1436
- Langsjoen PH, Langsjoen AM. The clinical use of HMG CoA-reductase inhibitors and the associated depletion of coenzyme Q10. A review of animal and human publications. *Biofactors.* 2003;18(1-4):101-11.
- Lapicciarella V, and others. Enquête clinique, biologique et cardiogra-phiq ue parmi les tribus nomades de la Somalie qui se nourrissent seule-ment de lait. *Bulletin of the World Health Organization* 1962;27: 681-697.
- Lasserre, M, Mendy F, Spielmann D, Jacotot B. Effects of different dietary intake of essential fatty acids on C20:3 omega 6 and C20:4 omega 6 serum levels in human adults. *Lipids*, 1985, 20:4:227
- Lawson LD, Kummerow F. beta-Oxidation of the coenzyme A esters of vaccenic, elaidic, and petroselaidic acids by rat heart mitochondria. *Lipids*, 1979, 14:501-503
- Leren P. The effect of plasma cholesterol lowering diet in male survivors of myocardial infarction. A controlled clinical trial. *Acta Medica Scandinavica* 1966;suppl 466:1-92
- Low Cholesterol Linked to Depression. *BBC Online Network*, May 25,1999
- Machlin IJ, Bendich A. Free radical tissue damage: protective role of antioxidant nutrients. *FASEB Journal*, 1987; 1:441-445
- Marchioli R, Barzi F, Bomba E, et al. Early protection against sudden-death by n-3 polyunsaturated fatty acids after myocardial infarction: time-course analysis of the results of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico (GISSI)-Prevenzione. *Circulation.* 2002;105:1897-1903
- Malhotra S. *Indian Journal of Industrial Medicine.* 1968, 14:219
- Mann GV. Metabolic Consequences of Dietary Trans Fatty Acids. *Lancet.* 1994; 343:1268-1271
- Matsuzaki M, Kita T, Mabuchi H, Matsuzawa Y, Nakaya N, Oikawa S, Saito Y, Sasaki J, Shimamoto K, Itakura H; J-LIT Study Group. Japan Lipid Intervention Trial. Large scale cohort study of the relationship between serum cholesterol concentration and coronary events with low-dose simvastatin therapy in Japanese patients with hypercholesterolemia. *Circ J.* 2002 Dec;66(12):1087-95.
- Meerson Z, Boev VM, Kruglikov RI. Effect of the antioxidant ionol on the formation and retention of a defensive conditioned reflex during maximum physical exertion. *Biull Exp Bio Med*, 1983; 96:9:70-71
- Muldoon MF, Manuck SB, Matthews KA. Lowering cholesterol concentrations and mortality: a quantitative review of primary prevention trials. *British Medical Journal* 1990;301:309-314.
- Multiple Risk Factor Intervention Trial; Risk Factor Changes and Mortality Results. *JAMA.* September 24, 1982; 248:12:1465
- Nanji AA, et al. *Gastroenterology*, Aug 1995, 109(2):547-54
- Neaton JD, Wentworth DN. Low serum cholesterol and risk of death from AIDS. *AIDS.* 1997 Jun;11(7):929-30.
- Newman TB, Hulley SB. Carcinogenicity of lipid-lowering drugs. *JAMA.* 1996 Jan 3;275(1):55-60.

Nichols AB, Ravenscroft C, Lamphiear DE, Ostrander LD Jr. Daily nutritional intake and serum lipid levels. The Tecumseh study. *Am J Clin Nutr.* 1976 Dec;29(12):1384-92.

O'Neill, Molly. Can Foie Gras Aid the Heart? A French Scientist Says Yes. *NY Times*, Nov 17, 1991

Okayama A, Ueshima H, Marmot MG, Nakamura M, Kita Y, Yamakawa M. Changes in total serum cholesterol and other risk factors for cardiovascular disease in Japan 1980-1989. *Int J Epidemiol.* 1993 Dec;22(6):1038-47.

Okuyama, H, Kobayashi T, Watanabe S. Dietary fatty acids--the N-6/N-3 balance and chronic elderly diseases. Excess linoleic acid and relative N-3 deficiency syndrome seen in Japan. *Prog Lipid Res*, 1997, 35:4:409-457

Oliart Ros RM, et al. Meeting Abstracts. AOCs Proceedings. May 1998; 7, Chicago, IL

Perez-Llomas F et al. *J Hum Nutr Diet.* Dec 1996; 9:6:463-471

Pinckney, Edward R, MD, and Cathey Pinckney, *The Cholesterol Controversy*, 1973, Sherbourne Press, Los Angeles, 127-131

Ravnskov U. High cholesterol may protect against infections and atherosclerosis. *Quarterly Journal of Medicine* 96, 927-934, 2003.

Research committee to the medical research council. Controlled trial of soya-bean oil in myocardial infarction. *The Lancet* 1968;ii:693-700

Research committee. Low-fat diet in myocardial infarction. A controlled trial. *The Lancet* 1965;2:501-4

Rose G, Tunstall-Pedoe H, Heller R. The United Kingdom Heart Disease Prevention Project. Incidence and Mortality Rates. *Lancet.* 1983;1:1062-1065

Rose GA, Thomson WB, Williams RT. Corn oil in treatment of ischaemic heart disease. *Br Med J.* 1965 Jun 12;1(5449):1531-3.

Rosenson RS, Tangney CC. Antiatherothrombotic properties of statins: implications for cardiovascular event reduction. *JAMA.* 1998 May 27;279(20):1643-50.

Ross R. Atherosclerosis-an inflammatory disease. *N Engl J Med.* 1999;340:115-126

Sacks FM and others. The effect of pravastatin on coronary events after myocardial infarction in patients with average cholesterol levels. *New England Journal of Medicine* 1996;335:1001-1009.

Sattar N, Gaw A, Scherbakova O, et al. Metabolic syndrome with and without C-reactive protein as a predictor of coronary heart disease and diabetes in the West of Scotland Coronary Prevention Study. *Circulation.* 2003 Jul 29;108(4):414-9. Epub 2003 Jul 14

Schatz IJ, Masaki K, Yano K, Chen R, Rodriguez BL, Curb JD. Cholesterol and all-cause mortality in elderly people from the Honolulu Heart Program: a cohort study. *Lancet.* 2001 Aug 4;358(9279):351-5.

Selvin E, Coresh J, Golden SH, Brancati FL, Folsom AR, Steffes MW. Glycemic control and coronary heart disease risk in persons with and without diabetes: the atherosclerosis risk in communities study. *Arch Intern Med.* 2005 Sep 12;165(16):1910-6.

Shah PK. Plaque distribution and coronary thrombosis: new insight into pathogenesis and prevention. *Clin Cardiol.* 1997;20(11 Suppl 2):II-38-44

Shepherd J and others. Prevention of coronary heart disease with pravastatin in men with hypercholesterolemia. *New England Journal of Medicine* 1995;333:1301-1307.

Shestov D, Deev A, Klimov A, Davis C, Tyroler H. Atherosclerosis: Increased Risk of Coronary Heart Disease Death in Men With Low Total and Low-Density Lipoprotein Cholesterol in the Russian Lipid Research Clinics Prevalence Follow-Up Study. *Circulation.* 88(3):846-853, September 1993.

Simopoulos AP, Norman Salem. *Am J Clin Nutr*, 1992, 55:411-4

- Teede HJ. Sex hormones and the cardiovascular system: effects on arterial function in women. *Clin Exp Pharmacol Physiol.* 2007 Jul;34(7):672-6.
- Teter B B, Sampugna J, Keeney M. Milk Fat Depression in C57B1/6J Mice Consuming Partially Hydrogenated Fat. *Journal of Nutrition*, 1990, 120:818-824;
- The ALLHAT Officers and Coordinators for the ALLHAT Collaborative Research Group. *JAMA* 2002;288:2998-3007.
- Valero, et al. *Ann NutrMetabolism*, Nov/Dec 1990, 34:6:323-327
- W C Willett, et al. Consumption of Trans-Fatty Acids in Relation to Risk of Coronary Heart Disease Among Women. *Society for Epidemiology Research*. June 1992; Annual Meeting, Abstract 249
- Watkins BA, Seifert MA. Food Lipids and Bone Health. *Food Lipids and Health*. McDonald RE and Min DB, eds, p 101, Marcel Dekker, Inc, New York, NY, 1996
- Willett, W C, Sacks F, Trichopoulou To, Drescher G, Iron To, Helsing and, Trichopoulos D. Mediterranean diet pyramid: a cultural model for healthy eating. *Am J Clin Nutr*, June 1995, 61(6S):1402S - 1406S
- Woodhill JM, Palmer AJ, Leelarthaeapin B, McGilchrist C, Blacket RB.. Low fat, low cholesterol diet in secondary prevention of coronary heart disease. *Adv Exp Med Biol.* 1978;109:317-30.